

Cloudy systems

— Taking the most out of the HPC Cloud





Nuno Ferreira <nuno.ferreira@surf.nl>
Ander Astudillo <ander.astudillo@surf.nl>

SURF

Recap: defining cloud computing

Essential characteristics:

- On-demand **self-service**
 - Broad **network** access (ubiquitous + convenient + on-demand)
 - Resource **pooling**
 - Rapid **elasticity** ⇒ 
 - **Measured** service
- 
1. Scaling
 2. API

Service models:

- Software as a Service (SaaS)
- Platform as a Service (PaaS)
- Infrastructure as a Service (IaaS)



Examples?

But why...?

...scaling

- Sequential run takes forever
- Not enough local resources (e.g.: memory)
- Analyse more data
- Achieve higher accuracy
- ...



Examples?


...elasticity

- Booking fixed resources in advance is:
 - A waste
 - Too expensive
 - Unpredictable
 - ...

The naïve approach

Some programs are **already parallel**

- The end-user just needs to run them
- E.g.: Delft3D, XBeach, OpenFoam, Matlab...



Some problems are a matter of running the **same thing** (possibly) **with different parameters**

- You can simply run many of these runs independently at the same time on different computers
- E.g.: a Monte Carlo simulation

Embarrassingly parallel problems!

Agenda

1.- **Scaling** possibilities

2.- **API** overview

3.- Demo

The SURF logo is located in the bottom right corner of the slide. It consists of the word "SURF" in white, uppercase, sans-serif font, centered within a black, rounded rectangular shape. A small black circle is attached to the bottom right corner of this shape, resembling a speech bubble tail or a drop.

SURF

Scaling possibilities



SURF

The concept (I)



Your **application**


may need more...



Scale up

vs.

Scale out



The concept (II)





e.g. **transport people**
may need more room...



Scale up

vs.

Scale out



The concept (and III)



e.g. **transport people**


may need more room...



Scale **up**


AND

Scale **out**




Some theory (I)

Meet: the CPU



Some theory (and II)


Meet: **parallel** processing



How does this **scale** anything?


Dividing work (I)

Parallelism: **task** partitioning




Dividing work (II)

Parallelism: **data** partitioning



Dividing work (and III)

Example: a possible parallel program (or workflow)



Very complex
to do yourself!


Technique: **shared memory**

e.g.: **OpenMP**


Technique: **message-passing**

e.g.: **MPI**

IaaS: Your place to run VMs



IaaS: your interconnected VMs




IaaS: master-workers set-up



Private network

e.g.: **workers**



Each **worker** receives work to do from the master and actually does the heavy lifting

The **master** orchestrates work to/from each of the workers

e.g.: **master**

Some thoughts

Parallel programming can be tricky:

- Need to know your **algorithm**
- Need to know your **data**
- Need to know your **architecture**

Try to **optimise**:

- Identify sequential **bottlenecks**
- Strive for **data** locality
- Identify **latencies**
- Minimise **communication**
- Be wary of **concurrency**:
 - **Deadlocks**
 - **Race conditions**
- Prepare for **failures**: machines, networks, timeouts...

So... you may as well be better off using a **naïve** approach! 😊

API overview




Why automation?



pets vs. cattle

Borrowed from
@randybias at Cloudscaling
<http://www.slideshare.net/randymbias/the-cloud-revolution-cyber-press-forum-philippines>



- Pets are given names like pussinboots.cern.ch
- They are unique, lovingly hand raised and cared for
- When they get ill, you nurse them back to health



- Cattle are given numbers like vm0042.cern.ch
- They are almost identical to other cattle
- When they get ill, you get another one

- Future application architectures should use Cattle but Pets with strong configuration management are viable and still needed

Gavin McCance, CERN

17



OpenNebula

XML-RPC over http

- bindings for Java, Ruby (also Python, NodeJS...)
- **Methods** like `one.<object>.<action>`
 - e.g.: `one.vm.rename`
 - *Pools*, like: `one.vmpool1.info`
- **Parameters**, position-based
- **Output**, a 3-tuple (A, B, C) where:
 - A: correct or error response
 - B: returned info (if correct);
error message (if error)
 - C: numeric error code

Operate/query on:

- Images
- Templates
- Virtual Machines
- Quotas
- ...

Demo

3

SURF

Example (I)



List my VMs

```
class VmList:
    """A simple list of my VMs"""
    ONE_ENDPOINT = 'http://ui.hpccloud.surfsara.nl:2633/RPC2'
    ONE_USER = 'username' # replace this with yours
    ONE_PASS = 'pass' # replace this with yours
    def __init__(self):
        self.client = oca.Client(
            self.ONE_USER + ':' + self.ONE_PASS, self.ONE_ENDPOINT)

    def fetch_vms(self):
        xml_string = self.client.call('vmpool.info', -3, -1, -1, -2)
        root = ET.fromstring(xml_string)
        return root

if __name__ == '__main__':
    xml = VmList()
    xml.fetch_vms()
    print(XmlUtil
        .pretty(xml))
```

one.vmpool.info

- Description: Retrieves information for all or part of the VMs in the pool.
- Parameters

Type	Data Type	Description
IN	String	The session string.
IN	Int	Filter flag - <= -3: Connected user's resources - -2: All resources - -1: Connected user's and his group's resources - >= 0: UID User's Resources
IN	Int	When the next parameter is >= -1 this is the Range start ID. Can be -1. For smaller values this is the offset used for pagination.
IN	Int	For values >= -1 this is the Range end ID. Can be -1 to get until the last ID. For values < -1 this is the page size used for pagination.
IN	Int	VM state to filter by.

Example (and II)



List my VMs
(output)

```
<VM_POOL>
  <VM>
    <ID>164</ID>
    <UID>247</UID>
    <GID>108</GID>
    <UNAME>ander</UNAME>
    <GNAME>workshop</GNAME>
    <NAME>Ubuntu-15.04</NAME>
    ...
    <LCM_STATE>3</LCM_STATE>
    <TEMPLATE>
      <CPU>...</CPU>
      ...
    </TEMPLATE>
  </VM>
  <VM>...</VM>
  ...
</VM_POOL>
```

Request: <https://e-infra.surfsara.nl>
UI: <https://ui.hpccloud.surfsara.nl>
Doc: <https://doc.hpccloud.surfsara.nl>

Credits

Images: Wikipedia, Science Park, RRZE icons,
NIST, nVidia, Ceph, publicdomainpictures.net,
publicdomainvectors.org, cs.unc.edu/~weicheng
Slides: SURFsara colleagues, CERN

Nuno Ferreira
<nuno.ferreira@surf.nl>

Ander Astudillo
<ander.astudillo@surf.nl>

SURF

<<EOF


Appendix

SURF

Principal Component Analysis (PCA)

in a nutshell

We want to reduce the dimensionality of the data without losing variance. 😊



- http://www.stefan-evert.de/PUB/Handout_LA_Trento_3.pdf
- <https://gmaclenn.github.io/articles/airport-pca-analysis/>


Amdahl's law

$$T(s) = (1 - p)T + \frac{p}{s}T.$$

- $T(s)$: running time after an improvement of s
- s : speedup factor of parallel part
- p : % of the program that is parallel
- T : original running time
- W : fixed workload

It's mainly the **algorithm** that defines speedup; rather than the amount of processors

$$S_{\text{latency}}(s) = \frac{TW}{T(s)W} = \frac{T}{T(s)} = \frac{1}{1 - p + \frac{p}{s}}.$$



Speedup is limited by the serial part of the program. E.g., if 95% of the program can be parallelised, the theoretical maximum speedup using parallel computing would be 20 times.